EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"7088822".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:05
L6	0	decrypt$5 with digital with signature with (token or ticket or credential) with integrity and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	,ON	2007/08/16 14:18
L7	38	digital with signature with (token or ticket or credential) with integrity and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:19
L8	12	encrypt$5 near3 (token or ticket or credential) with integrity and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:36
L9	7	local$5 with (verif$9 or authenticat$6) near4 integrity with (token or credential or capability or ticket) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:47
L10	268	(verif$9 or authenticat$6) near4 integrity with (token or credential or capability or ticket) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:47
L11	0	de$central$5 with (verif$9 or authenticat$6) near4 integrity with (token or credential or capability or ticket) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:47
L12	12	client with (verif$9 or authenticat$6) near4 integrity with (token or credential or capability or ticket) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 14:48
L13	23	user with (verif$9 or authenticat$6) near4 integrity with (token or credential or capability or ticket) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 15:08
L14	304	stor$5 with two with integrity and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 15:08
L15	4	stor$5 with two with integrity with $crypt$5 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 16:26

L16	35	(hash or digest) near3 encrypt$5 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 16:27
L17	9	(US-20030023856-$ or US-20030014315-$).did. or (US-7023995-$ or US-6560581-$ or US-RE38070-$ or US-7111321-$ or US-7213266-$ or US-7082615-$). did. or (US-20040003190-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/08/16 16:47
L18	0	17 and configur$9 with file	US-PGPUB; USPAT; DERWENT	OR	ON	2007/08/16 16:47
L19	7	17 and configur$9	US-PGPUB; USPAT; DERWENT	OR	ON	2007/08/16 16:47
S1	0	"10532542".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 12:53
S2	3	"6711682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 12:53
S3	2	"20020120861".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:06
S4	0	compar$5 with (id or identif$9) with network with client with (local$6) with separate with location and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:25
S5	2	compar$5 with (id or identif$9) with network with client with (local$6) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:26
S6	24	compar$5 with (id or identif$9) with separate with network and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:28
S7	4	verif$7 with two with (id or identif$9 or token) with network with (match$5 or compar$6 or collat$6) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:31
S8	389	two with (id or identif$9 or token or address) with network with (match$5 or compar$6 or collat$6) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:31

S9	96	two with (id or identif$9 or token or address) with client with (match$5 or compar$6 or collat$6) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:40
S10	0	local$5 with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with decrypted with (id or identif$9) with access and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:41
S11	397	local$5 with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with (id or identif$9) with access and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:41
S12	0	local$5 with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with (id or identif$9) with access with checksum and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:41
S13	2	local$5 with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with (id or identif$9) with checksum and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:42
S14	4207	client with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with (id or identif$9) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:42
S15	5	client with (authenticat$5 or verif$9 or validat$9 or compar$9 or match$6) with (id or identif$9) with decrypt$5 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:45
S16	271	(id or identif$9) with encrypt$6 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:46
S17	53030	decrypt$5 (id or identif$9) with encrypt$6 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:46
S18	22392	ith	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:46
S19	79	decrypt$5 with (id or identif$9) with encrypt$6 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:54

S20	31	decrypt$5 with (id or identif$9) near3 encrypt$6 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 13:58
S21	2	client near3 (id or identif$9) near3 encrypt$6 with different with key and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 14:03
S22	175	client near3 (id or identif$9) near3 encrypt$6 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 14:03
S23	36	decrypt$5 with client near3 (id or identif$9) near3 encrypt$6 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 14:06
S24	2	"20030024891".pn. and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 14:07
S25	2	"20030084291".pn. and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 14:07
S26	0	encrypted near2 id with secur$5 with location with client and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:06
S27	23277584	encrypted near2 id with secur$5 with locationand @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:07
S28	6	encrypted near2 id with secur$5 with (location or area or directory or folder) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:09
S29	31	encrypted near2 (id or identif$9 or token) with secur$5 with (location or area or directory or memory) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:14
S30	2	secure with (network or client) near3 (id or token or identif$9) with (integrity or checksum) with (compar$5 or check$5 or verif$6 or authenticat$5 or match$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:19

S31	96	(network or client) near3 (id or token or identif$9) with (integrity or checksum) with (compar$5 or check$5 or verif$6 or authenticat$5 or match$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:28
S32	0	network near2 (token or capability or rights) with (integrity or checksum) with (compar$5 or check$5 or verif$6 or authenticat$5 or match$5) with local$5 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:29
S33	3	network near2 (token or capability or rights) with (integrity or checksum) with (compar$5 or check$5 or verif$6 or authenticat$5 or match$5)and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:32
S34	1	network near2 token with secur$6 with copies and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:32
S35	11	network near2 token with secur$6 with (location or area) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:36
S36	0	network near2 token with integrity with client and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:36
S37	2	network near3 token with integrity with client and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:37
S38	10	network near3 (token or credential or capability) with integrity with client and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:38
S39	13	network near3 (token or credential or capability) with secure with client and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:39
S40	1	client near5 (authenticat$5 or verif$7 or compar$6 or match$5) with checksum with (area or location or folder) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:41
S41	339	(network or client) near3 (capability or credential or token) with (integrity or tamper$5 or modif$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:42

S42	12	(network or client) near3 (capability or credential or token) with (integrity or tamper$5 or modif$5) and separate near2 (location or memory or area) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:44
S43	23	(network or client) near3 (capability or credential or token) with (integrity or tamper$5 or modif$5) and stor$5 with (capability or credential or token) with (folder or registery or file or directory) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 17:49
S44	18	(network or client) near3 (capability or credential or token) with (tamper$5 or modif$5) and stor$5 with configuration with file and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:23
S45	1	(network or client) near3 (capability or credential or token) with (tamper$5 or modif$5) with stor$5 with $crypt$6 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:25
S46	5	(network or client) near3 (capability or credential or token) with (tamper$5 or modif$5) with $crypt$6 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:30
S47	289	(network or client) near3 (capability or credential or token) with (tamper$5 or modif$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:30
S48	16	(network or client) near3 (capability or credential or token) with (tamper$5 or modif$5) near6 (determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:58
S49	19	(network or client) near4 (capability or credential or token) with (tamper$5 or modif$5) near6 (determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/15 23:58
S50	40	(network or client) near4 (capability or credential or token) with (tamper$5 or modif$5 or chang$3) near6 (determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:09

S51	31	local$5 with (capability or credential or token) with (tamper$5 or modif$5 or chang$3) near6 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:29
S52	0	local$5 with encrypted near3 (checksum or hash or digest) near3 (credential or token or capability) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:17
S53	0	local$5 with encryp$5 near3 (checksum or hash or digest) near3 (credential or token or capability) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:17
S54	1	local$5 with encryp$5 with(checksum or hash or digest) near3 (credential or token or capability) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:17
S55	64	encryp$5 with(checksum or hash or digest) near3 (credential or token or capability) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:17
S56	1346	local$5 near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near4 (integrity or modif$5 or change) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:30
S57	116	local$5 near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:52
S58	200	self near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:55
S59	2	self near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) with network and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:56
S60	1	self near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) with token and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:57

EAST Search History

S61	0	self near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) with credential and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:57
S62	3	self near3 (detect$5 or determin$6 or check$5 or verif$6 or authenticat$5 or compar$5) near3 (integrity or checksum or digest) with identif$ and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:58
S63	112	(integrity or checksum or digest) with configuration with file and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 01:01
S64	0	(integrity or checksum or digest) with configuration with file with token and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:59
S65	0	(integrity or checksum or digest) with configuration with file with credential and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:59
S66	4	(integrity or checksum or digest) with configuration with file with encrypt$5 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 00:59
S67	0	(integrity or checksum or digest) with configuration with file with registry and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 01:01
S68	8	(integrity or checksum or digest) with network with access with control$6 with local$5 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 01:22
S69	4	(integrity or checksum or digest) with ticket with local$6 and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 01:23
S70	218	(integrity or checksum or digest) with ticket and @ad<="20021025"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/16 01:23